
WAFS - 103 Differential Pressure Pitot Tube Flow Meter



Affordable Smart IIoT Sensors for Advanced Compressed Air Measurement



Features

- Suitable for Wet Compressed Air
- ▶ Insertion Type With Anti Ejection Design
- ▶ Ideal for Compressor FAD Measurement
- Standard Options Include Built in Temperature and Pressure Sensors
- Integrated Display With Touch Functions and Data Logging
- Bluetooth Interface For Easy Configuration
- Supports WiseAir 4.0 Bluetooth Mobile Application (Android Version)

14550.0 5.7 8.32





Benefits

- Improves system efficiency
- Reduces system maintenance
- Reduces operating and energy costs
- Increases system understanding and operation
- ▶ Identifies changes in system performance
- Identifies non-productive air demand and leakage
- ▶ Identifies peak and average demand

Applications

- > Wet and Dry Air
- Suitable for High Velocities
- Specially Designed for Air and N2 Applications
- Can also Measure Argon, Carbon Dioxide, Helium, Hydrogen, Natural Gas, Nitrogen, Nitrous Oxide, Oxygen
- Compressor FAD Measurement



<u>Asia</u>

Regional Head Office

WiseAir Technologies India LLP #12, Sri Venkatalakshmi Nagar, Singanallur, Coimbatore - 641 005. India

Contact Us

- North America : info.usa@systel.asia
- Europe : info.eu@systel.asia
- Middle East: info.uae@systel.asia

Get in Touch

Follow Our Activity

Learn More About Our Innovative Solutions in Social Media









